

CARVING
SURFACE

BABYCON
SURFACE

GLITTER
SURFACE

MOULDCON
SURFACE

MATT
SURFACE

GLOSSY
SURFACE

600 X 1200 MM




flora
COLLECTION

Babycon Surface

**600X
1200MM**

Matt surfaces define spaces with calm, balance and understated elegance. The soft, non reflective finish enhances texture while reducing visual noise. Designed to highlight form, depth and material authenticity Large 600×1200mm format creates seamless, modern continuity. Comfortable under light, refined in appearance.

flora
COLLECTION



ATHENA WHITE

SIZE
600x1200mm



SURFACE:
BABYCON

RANDOM:
04

SURFACE:
BABYCON

RANDOM:
04

SIZE
600x1200mm



CARRARA SKYST

SIZE
600x1200mm



SURFACE:
BABYCON

RANDOM:
04

SURFACE:
BABYCON



RANDOM:
04

SIZE
600x1200mm



DUSTY BIANCO

SIZE
600x1200mm



SURFACE:
BABYCON

RANDOM:
04

SURFACE:
BABYCON

RANDOM:
04

SIZE
600x1200mm



NEVIA ONYX

SIZE
600x1200mm



SURFACE:
BABYCON

RANDOM:
08

SURFACE:
BABYCON

RANDOM:
08

SIZE
600x1200mm



ONYX PULS

SIZE
600x1200mm



SURFACE:
BABYCON

RANDOM:
05

SURFACE:
BABYCON


RANDOM:
05

SIZE
600x1200mm



PIEMONTE BIANCO

SIZE
600x1200mm



SURFACE:
BABYCON

RANDOM:
04

SURFACE:
BABYCON


RANDOM:
04

SIZE
600x1200mm



REGAL STATUARIO

SIZE
600x1200mm



SURFACE:
BABYCON

RANDOM:
04

SURFACE:
BABYCON



RANDOM:
04

SIZE
600x1200mm



ROCCIA LUPO

SIZE
600x1200mm



SURFACE:
BABYCON

RANDOM:
06

SURFACE:
BABYCON

RANDOM:
06

SIZE
600x1200mm



STONE IVORY

SIZE
600x1200mm



SURFACE:
BABYCON

RANDOM:
08

SURFACE:
BABYCON

RANDOM:
08

SIZE
600x1200mm



TECHNICAL DETAIL

SR.NO.	CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	OUR VALUE
--------	-----------------	------------------	--	-----------

DIMENSION & SURFACE QUALITY

1	Deviation in length & Width	ISO 10545-2	+/-0.5%	+/-0.2%
2	Deviation in Thickness	ISO 10545-2	+/-5%	+/-3%
3	Straightness Of sides	ISO 10545-2	+/-0.5%	+/-0.2%
4	Rectangularity	ISO 10545-2	+/-0.5%	+/-0.2%
5	Surface Flatness	ISO 10545-2	+/-0.5%	+/-0.2%

PHYSICAL & THERMAL PROPERTIES

1	Water Absorption	ISO 10545-3	<0.50%	< 0.04%
2	Mohs Hardness	EN-101	Min.5	Min.5
3	Flexural Strength	ISO 10545-4	>35N/mm2	>40N/mm2
4	Skid Resistance	ISO 10545-17	>0.4	>0.4
5	Breaking Strength	ISO 10545-11	>1113N	>1800N
6	Frost Resistance	ISO 10545-12	Frost Proof	Frost Proof
7	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
8	Moisture Expansion	ISO 10545-10	Nil	Nil
9	Resistance to surface Abrasion	ISO 10545-7	Abrasion class shall be specified by the manufacturer	PEI IV

CHEMICAL PROPERTIES

1	Chemical Resistance	ISO 10545-13	No Damage	No Damage
2	Color Resistance	ISO 10545-16	No Damage	No Damage
3	Stain Resistance	ISO 10545-14	Resistant	Resistant

PACKAGING DETAIL

SIZE	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX	THICKNESS
600X1200MM	2	1.44	27.5 KG.	8.5MM
600X600MM	4	1.44	27.5 KG.	8.5MM