




60X60CM


CARVING

WALLPAPER




AB- OUT US

We're leading manufactures and having globally distributors of ceramic tiles, Team sicon have over decade experience. We strive to create flooring for all your surfaces and convert them into beautiful spaces. We use the latest technology for our manufacturing process and deliver tiles that are exclusive in design and adhere to the best quality standards. We ensure the satisfaction of our customers and provide **QUALITY FLOORING FOR YOUR SURFACE**




CARVING WALLPAPER

A realistic emulation of beautiful floral patterns that are imbued with more life with a carving effect impressed on the durable 600x600 surface makes the "carving wallpaper collection" a highly sought-after choice. A carefully curated selection that can meet the design needs of a diverse customer base and has everything you need to unleash your creativity! If you want your scheme to bloom like a divine flower valley, this collection is your way to go!



RESIDENTIAL SPACE



BED ROOM
SPACE



LIVING ROOM
SPACE




BATHROOM
SPACE

Applicable in both domestic and commercial themes, this collection is versatile and easy to maintain. As durable as it is aesthetic, these statement pieces will adorn your walls for a very long period without fading.

COMMERCIAL SPACE



OFFICE
SPACE



RESTAURANT
SPACE

FEATURES



Long
Durability



Easy to
Clean



Impact
Resistance



Frost
Resistance



Low Water
Absorption



Dimensional
Stability



Hygienic
Surface



Fire
Resistance



Chemical
Resistance



Easy
Installation



Thermal Shock
Resistance



Crazing
Resistance



TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

ACUARELA





TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

ADRIAN MINT






TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

AMALFI





TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

CHILLBERRY





TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

DELIGHT FLOWER






TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

FIRE BALL





TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

HEAVEN BELLY





TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

LEON VINTAGE





TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

MILAS FLORAL






TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

PALMERA





TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

SPARROW





TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

SWEDISH RETRO





TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

VERBENA BLUE





TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

ZOFFANY GREEN





TILE SIZE
60X60CM

SURFACE
CARVING
FINISH

ZOFFANY RED



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006 / En14411 GROUP Bla	SISCON VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	± 0.5%	± 0.3%	ISO-10545-2
Deviation in thickness	± 0.5%	± 4.0%	ISO-10545-2
Straightness in side	± 0.5%	± 0.1%	ISO-10545-2
Rectangularity	± 0.5%	± 0.1%	ISO-10545-2
Surface flatness	± 0.5%	± 0.2%	ISO-10545-2
Color difference	Unlterned	No change	ISO-10545-16
Glossiness	As per mfg.	Min 90 %	GLOSSO METER
STRUCTURAL PROPERTIES			
Water absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of repture	Min. 35 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 1800 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Resistance to surface abrasion (PEI RATING)	As per mfg.	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 5	EN 101
THERMO HYGROMRTRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nill	Nill	ISO-10545-10
Thermal expansion(COE)	Max. 9.0x10 ⁻⁶	Max. 6.5x10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Min. Class 3	Class 5	ISO-10545-14
SEFETY PROPERTIES			
Slip resistance	As per mfg.	> 0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	N.A.
Lead & Cafmium given off by glazes tiles	As per mfg.	Does not yield Pb & Cd	ISO-10545-15

PACKING DETAILS

SIZE	THICKNESS	PIECES / BOX	AREA / BOX	WEIGHT / BOX
600x600mm	9mm (Approx)	4 pcs.	1.44 sq. mtr.	28.5 kgs