

flora
COLLECTION

Moulded Perfection,
Designed for Life

PART – 03
CATALOGUE 2026

Where Surfaces Become Statements

At our core, we believe surfaces are more than just finishes—they are expressions of style, intent, and individuality. Every design is thoughtfully crafted to transform everyday spaces into bold visual experiences, blending refined aesthetics with lasting performance. From subtle elegance to striking statements, our surfaces don't just complement interiors—they define them, leaving a lasting impression in every space they touch.



Luxury You Can Feel. Strength You Can Trust.

Every surface is crafted to deliver a refined sensory experience while standing strong against everyday demands.

Engineered Surfaces. Enduring Beauty.

Engineered with precision and purpose, our surfaces blend advanced technology with refined aesthetics.

Strength Molded Into Every Surface

Crafted with precision and engineered for durability, each surface is built to withstand time, wear, and everyday impact.



6 0 0 X
1 2 0 0 M M

8.5MM
thickness



Absorb Off
Odours



Temperature
Resistance



Chemical
Resistance



Highly Compact
Material



Heating Sun
Resistance



Hypoallergenic



Freeze
Resistance



Fire Resistance



Scratch
Resistance



Pure Hygiene
Surface



Various Sizes




uv Resistance

Moulded Perfection,
Designed for Life

flora
COLLECTION

Surfaces Designed for Modern Living

Modern living demands more than just visual appeal—it calls for surfaces that balance aesthetics, performance, and durability. Designed to complement contemporary lifestyles, these surfaces bring together refined design, advanced technology, and everyday practicality. From elegant textures to long-lasting finishes, each surface is crafted to enhance spaces with comfort, style, and reliability, making homes and commercial interiors effortlessly modern, functional, and timeless.



Residential
(Living Room, Bedroom,
Kitchen)



Indoor Area



Commercial Spaces



Bathroom



Mall Flooring



Offices



Balcony





School & University

Architecture Begins with
MOULDCON



PRODUCT INDEX

											
MOULD CON 89 BASE	MOULD CON 89 DECORE	MOULD CON 90 BASE	MOULD CON 90 DECORE	MOULD CON 95 DK	MOULD CON 95 DECORE	MOULD CON 105 BASE	MOULD CON 105 DECORE	MOULD CON 106 DECORE 1	MOULD CON 106 DECORE 2	MOULD CON 108 BASE	MOULD CON 108 DECORE
											
MOULD CON 96 DK	MOULD CON 96 DECORE	MOULD CON 97 DECORE 1	MOULD CON 97 DECORE 2	MOULD CON 98 DECORE 1	MOULD CON 98 DECORE 2	MOULD CON 109 BASE	MOULD CON 110 BASE	MOULD CON 111 BASE	MOULD CON 112 BASE	MOULD CON 113 BASE	MOULD CON 114 BASE
											
MOULD CON 99 BASE	MOULD CON 99 DECORE 1	MOULD CON 100 DECORE 1	MOULD CON 100 DECORE 2	MOULD CON 101 BASE	MOULD CON 101 DECORE	MOULD CON 115 BASE	MOULD CON 116 BASE	MOULD CON 116 BASE DECORE	INTEL STATUARIO	MOULD CON 117 BASE	INTEL STATUARIO
											
MOULD CON 102 BASE	MOULD CON 102 DECORE	MOULD CON 103 BASE	MOULD CON 103 DECORE	MOULD CON 104 DECORE 1	MOULD CON 104 DECORE 2	MOULD CON 118 BASE	INTEL STATUARIO	MOULD CON 119 DECORE	INTEL STATUARIO	MOULD CON 120 DECORE	INTEL STATUARIO

PRODUCT INDEX



MOULD CON 121
DECORE



INTEL STATUARIO



MOULD CON 122
DECORE



INTEL STATUARIO



MOULD CON 123
DECORE



INTEL STATUARIO




MOULD CON 124
DECORE



INTEL STATUARIO



MOULD CON 125
DECORE





Click for
Full 360
View



Click for
Back To
Index


 **GLOSSY** Finish

 **8.5 MM** Thickness



MOULD CON 89 BASE

Random **01**



MOULD CON 89 DECORE

Random **01**









Click for
**Full 360
View**



Click for
**Back To
Index**

✦ **GLOSSY** Finish

✦ **8.5 MM** Thickness



MOULD CON 90 BASE

Random **01**

MOULD CON 90 DECORE

Random **01**





MOULD CON 90




Click for
Full 360
View



Click for
Back To
Index

✦ **GLOSSY** Finish

✦ **8.5 MM** Thickness



MOULD CON 95 DK

Random **01**



MOULD CON 95 DECORE

Random **01**





MOULD CON 95




Click for
Full 360
View



Click for
Back To
Index

✦ **GLOSSY** Finish

✦ **8.5 MM** Thickness



MOULD **CON 96 DK**

Random **01**



MOULD **CON 96 DECORE**

Random **01**





MOULD CON 96




Click for
**Full 360
View**



Click for
**Back To
Index**

 **GLOSSY** Finish

 **8.5 MM** Thickness



MOULD CON 97 DECORE 1

Random **01**



MOULD CON 97 DECORE 2

Random **01**





MOULD CON 97

MOULD
CON SURFACE





Click for
Full 360
View



Click for
Back To
Index

✦ **GLOSSY** Finish

✦ **8.5 MM** Thickness



MOULD **CON 98 DECORE 1**

Random **01**

MOULD **CON 98 DECORE 2**

Random **01**





MOULD **CON 98**



Click for
Full 360
View



Click for
Back To
Index

✦ **GLOSSY** Finish

✦ **8.5 MM** Thickness



MOULD CON 99 BASE

Random **01**



MOULD CON 99 DECORE

Random **02**





MOULD CON 99



Click for
**Full 360
View**



Click for
**Back To
Index**


✦ **GLOSSY** Finish

✦ **8.5 MM** Thickness



MOULD CON 100 DECORE 1

Random **02**



MOULD CON 100 DECORE 2

Random **01**





MOULD CON 100



Click for
**Full 360
View**



Click for
**Back To
Index**

 **GLOSSY** Finish

 **8.5 MM** Thickness



MOULD CON 101 BASE

Random **04**



MOULD CON 101 DECORE

Random **01**





MOULD **CON 101**




Click for
**Full 360
View**



Click for
**Back To
Index**

 **GLOSSY** Finish

 **8.5 MM** Thickness



MOULD CON 102 BASE

Random **01**



MOULD CON 102 DECORE

Random **01**





MOULD CON 102



Click for
Full 360
View



Click for
Back To
Index


 **GLOSSY** Finish

 **8.5 MM** Thickness



MOULD CON 103 BASE

Random **01**



MOULD CON 103 DECORE 1

Random **02**





MOULD **CON 103**



Click for
**Full 360
View**



Click for
**Back To
Index**


✦ **GLOSSY** Finish

✦ **8.5 MM** Thickness



MOULD **CON 104 DECORE 1**

Random **02**



MOULD **CON 104 DECORE 2**

Random **01**





MOULD CON 104




Click for
**Full 360
View**



Click for
**Back To
Index**

 **GLOSSY** Finish

 **8.5 MM** Thickness



MOULD CON 105 BASE

Random **01**



MOULD CON 105 DECORE

Random **01**





MOULD **CON 105**




Click for
**Full 360
View**



Click for
**Back To
Index**

 **GLOSSY** Finish

 **8.5 MM** Thickness



MOULD CON 106 DECORE 1

Random **01**



MOULD CON 106 DECORE 2

Random **01**





MOULD CON 106



Click for
Full 360
View



Click for
Back To
Index

✦ **GLOSSY** Finish

✦ **8.5 MM** Thickness



MOULD CON 108 BASE

Random **01**



MOULD CON 108 DECORE

Random **03**





MOULD CON 108

MOULD
CON SURFACE




Click for
Full 360
View



Click for
Back To
Index

 **GLOSSY** Finish

 **8.5 MM** Thickness



MOULD CON 109 BASE

Random **01**

MOULD CON 109 BASE

Random **01**







Click for
Full 360
View



Click for
Back To
Index

✦ **GLOSSY** Finish

✦ **8.5 MM** Thickness



MOULD CON 110 BASE

Random **01**

MOULD CON 110 BASE

Random **01**





Click for
**Full 360
View**



Click for
**Back To
Index**

✦ **GLOSSY** Finish

✦ **8.5 MM** Thickness



MOULD **CON 111 BASE**

Random **01**

MOULD **CON 111 BASE**

Random **01**







Click for
Full 360
View



Click for
Back To
Index

 **GLOSSY** Finish

 **8.5 MM** Thickness



MOULD CON 112 BASE

Random **01**

MOULD CON 112 BASE

Random **01**






Click for
Full 360
View



Click for
Back To
Index


 **GLOSSY** Finish

 **8.5 MM** Thickness



MOULD **CON 113 BASE**

Random **01**



MOULD **CON 113 BASE**

Random **01**






Click for
Full 360
View



Click for
Back To
Index


 **GLOSSY** Finish

 **8.5 MM** Thickness



MOULD CON 114 BASE

Random **01**



MOULD CON 114 BASE

Random **01**







Click for
Full 360
View



Click for
Back To
Index

 **GLOSSY** Finish

 **8.5 MM** Thickness



MOULD CON 115 BASE

Random **01**

MOULD CON 115 BASE

Random **01**






Click for
Full 360
View



Click for
Back To
Index

✦ **GLOSSY** Finish

✦ **8.5 MM** Thickness



MOULD **CON 116 BASE**

Random **01**




MOULD **CON 116 DECORE**

Random **01**





MOULD CON 116




Click for
Full 360
View



Click for
Back To
Index


✦ **GLOSSY** Finish

✦ **8.5 MM** Thickness



INTEL STATUARIO

Random **04**




MOULD CON 117 DECORE

Random **01**





MOULD CON 117




Click for
**Full 360
View**



Click for
**Back To
Index**


 **GLOSSY** Finish

 **8.5 MM** Thickness



INTEL STATUARIO

Random **04**



MOULD CON 118 DECORE

Random **01**





MOULD CON 118




Click for
**Full 360
View**



Click for
**Back To
Index**


 **GLOSSY** Finish

 **8.5 MM** Thickness



INTEL STATUARIO

Random **04**



MOULD CON 119 DECORE

Random **01**








Click for
Full 360
View



Click for
Back To
Index

 **GLOSSY** Finish

 **8.5 MM** Thickness



INTEL STATUARIO

Random **04**



MOULD CON 120 DECORE

Random **01**





MOULD CON 120




Click for
Full 360
View



Click for
Back To
Index


 **GLOSSY** Finish

 **8.5 MM** Thickness



INTEL STATUARIO

Random **04**




MOULD CON 121 DECORE

Random **01**








Click for
Full 360
View



Click for
Back To
Index

 **GLOSSY** Finish

 **8.5 MM** Thickness



INTEL STATUARIO

Random **04**



MOULD CON 122 DECORE

Random **01**





MOULD CON 122




Click for
Full 360
View



Click for
Back To
Index

 **GLOSSY** Finish

 **8.5 MM** Thickness



INTEL STATUARIO

Random **04**



MOULD CON 123 DECORE

Random **01**





MOULD CON 123




Click for
Full 360
View



Click for
Back To
Index


 **GLOSSY** Finish

 **8.5 MM** Thickness



INTEL STATUARIO

Random **04**



MOULD CON 124 DECORE

Random **01**





MOULD CON 124




Click for
**Full 360
View**



Click for
**Back To
Index**


 **GLOSSY** Finish

 **8.5 MM** Thickness




INTEL STATUARIO

Random **04**



MOULD CON 125 DECORE

Random **01**





MOULD CON 125

SRNO.	CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	VALUE
-------	-----------------	------------------	--	-------

DIMENSION & SURFACE QUALITY

1	Deviation in length & Width	ISO 10545-2	+/-0.5%	+/-0.2%
2	Deviation in Thickness	ISO 10545-2	+/-5%	+/-3%
3	Straightness Of sides	ISO 10545-2	+/-0.5%	+/-0.2%
4	Rectangularity	ISO 10545-2	+/-0.5%	+/-0.2%
5	Surface Flatness	ISO 10545-2	+/-0.5%	+/-0.2%

PHYSICAL & THERMAL PROPERTIES

1	Water Absorption	ISO 10545-3	<0.50%	< 0.04%
2	Mohs Hardness	EN-101	Min.5	Min.5
3	Flexural Strength	ISO 10545-4	>35N/mm2	>40N/mm2
4	Skid Resistance	ISO 10545-17	>0.4	>0.4
5	Breaking Strength	ISO 10545-11	>1113N	>1800N
6	Frost Resistance	ISO 10545-12	Frost Proof	Frost Proof
7	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
8	Moisture Expansion	ISO 10545-10	Nil	Nil
9	Resistance to surface Abrasion	ISO 10545-7	Abrasion class shall be specified by the manufacturer	PEI IV

CHEMICAL PROPERTIES

1	Chemicals Resistance	ISO 10545-13	No Damage	No Damage
2	Color Resistance	ISO 10545-16	No Damage	No Damage
3	Stain Resistance	ISO 10545-14	Resistant	Resistant

PACKAGING DETAIL

SIZE	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX	THICKNESS
600X1200MM	2	1.44	27.5 KG.	8.5MM
600X600MM	4	1.44	27.5 KG.	8.5MM

THANK YOU