


SOL EDITION

600X1200MM



GLOSSY COLLECTION 2025-26




SPECIAL COLOUR

GLOSSY COLLECTION

600X1200MM

GVT

The Glossy Special Colour Series by Specon brings uniqueness to life through bold shades and artistic tones. Each tile reflects exceptional craftsmanship, offering a perfect balance of gloss, depth, and distinction. Designed to enhance modern interiors, this series transforms spaces with character, creativity, and enduring beauty.



**SPARKLING
ALMOND**

Pattern: **Random**
No.Of Random: **1**
Surface: **Glossy**



**SPARKLING
IVORY**

Pattern: **Random**
No.Of Random: **1**
Surface: **Glossy**



**SPARKLING
CHOCO**

Pattern: **Random**
No.Of Random: **1**
Surface: **Glossy**




WALL: SPARKLING CHOCO & SPARKLING ALMOUND
FLOOR: SPARKLING IVORY



**SPARKLING
TAUPE**

Pattern: **Random**
No. Of Random: **1**
Surface: **Glossy**



**SPARKLING
CARMEL**

Pattern: **Random**
No. Of Random: **1**
Surface: **Glossy**




**SPARKLING
UMBER**

Pattern: **Random**
No. Of Random: **1**
Surface: **Glossy**




WALL: SPARKLING UMBER & SPARKLING CARMEL
FLOOR: SPARKLINGTAUPE



**SPARKLING
SILVER**

Pattern: **Random**
No. Of Random: **1**
Surface: **Glossy**



**SPARKLING
BIANCO**

Pattern: **Random**
No. Of Random: **1**
Surface: **Glossy**



**SPARKLING
DARK GREY**

Pattern: **Random**
No. Of Random: **1**
Surface: **Glossy**




WALL: SPARKLING DARK GREY & SPARKLING SILVER
FLOOR: SPARKLING BIANCO




**SPARKLING
BLUE**

Pattern: **Random**
No. Of Random: **1**
Surface: **Glossy**



**SPARKLING
SKY**

Pattern: **Random**
No. Of Random: **1**
Surface: **Glossy**




**SPARKLING
AQUA**

Pattern: **Random**
No. Of Random: **1**
Surface: **Glossy**



WALL: SPARKLING BLUE
FLOOR: SPARKLING SKY



**SPARKLING
LIME**

Pattern: **Random**
No.Of Random: **1**
Surface: **Glossy**



**SPARKLING
PISTA**

Pattern: **Random**
No.Of Random: **1**
Surface: **Glossy**



**SPARKLING
GREEN**

Pattern: **Random**
No.Of Random: **1**
Surface: **Glossy**



WALL: SPARKLING LIME
FLOOR: SPARKLING GREEN

TECHNICAL DETAIL

SR NO.	CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	OUR VALUE
--------	-----------------	------------------	--	-----------

DIMENSION & SURFACE QUALITY

1	Deviation in length & Width	ISO 10545-2	+/-0.5%	+/-0.2%
2	Deviation in Thickness	ISO 10545-2	+/-5%	+/-3%
3	Straightness Of sides	ISO 10545-2	+/-0.5%	+/-0.2%
4	Rectangularity	ISO 10545-2	+/-0.5%	+/-0.2%
5	Surface Flatness	ISO 10545-2	+/-0.5%	+/-0.2%

PHYSICAL & THERMAL PROPERTIES

1	Water Absorption	ISO 10545-3	<0.50%	< 0.04%
2	Mohs Hardness	EN-101	Min.5	Min.5
3	Flexural Strength	ISO 10545-4	>35N/mm2	>40N/mm2
4	Skid Resistance	ISO 10545-17	>0.4	>0.4
5	Breaking Strength	ISO 10545-11	>1113N	>1800N
6	Frost Resistance	ISO 10545-12	Frost Proof	Frost Proof
7	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
8	Moisture Expansion	ISO 10545-10	Nil	Nil
9	Resistance to surface Abrasion	ISO 10545-7	Abrasion class shall be specified by the manufacturer	PEI IV

CHEMICAL PROPERTIES

1	Chemical Resistance	ISO 10545-13	No Damage	No Damage
2	Color Resistance	ISO 10545-16	No Damage	No Damage
3	Stain Resistance	ISO 10545-14	Resistant	Resistant

PACKAGING DETAIL

SIZE	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX	THICKNESS
600X1200MM	2	1.44	27.5 KG.	8.5MM
600X600MM	4	1.44	27.5 KG.	8.5MM